

TEC=LED







ALUMINIUM PROFILES



TEC=LED

TecLED'S range of aluminium LED housing extrusion profiles cater for all conceivable lighting installations and effects. Our technical staff can advise and assist in selecting the appropriate fitting to suit your particular specifications and thus give effect to your creative vision. If required, we provide site installation and supervision for all our solutions.
























Our profiles are categorised according to their method of installation.

	CATEGORY	ICON	PAGE
	Linear Pendant (Suspended)	LI	9
	Recessed	RE	15
	Surface Mounted	SU	20
	Plasterboard	PB	25
	Cove	CV	29
	Skirting	SK	31
	Wall	WA	32
	Illuminated Handrails	IH	34

CATEGORY SNAPSHOT

LI


























LINEAR (SUSPENDED)

25.4  25.4 2525 P. 9	30  22.4 3035 P. 9	35  35 3535 P. 9	85  85 AURORA P. 9	75  95 BEEM P. 9
75  50 CORONA P. 10	19.7  19.7 KESTREL K P. 10	36  19 KESTREL P P. 10	90  24 LIFT UP/DOWN P. 10	35  25.4 MINI UP/DOWN PENDANT P. 10
35  50 OSPREY P. 11	 Ø76 SABRE P. 11	12  10 SHEER P. 11	27 27 27  150 PLANQ P. 11	 Ø40 TOOB40 P. 11
 Ø60 TOOB60 P. 12	 Ø100 TOOB100 P. 12	26.2  23 BUNGEE (MINI TUNNEL) P. 12	37  20 TUNNEL P. 12	115  38 UP/DOWN115 P. 12
50  60 EAGLE P. 13	74.5  49 FALCON P. 13	89.5  82 PHOENIX P. 13	28  16 HOBBY P. 13	80  53.8 PEREGRINE P. 13

CATEGORY SNAPSHOT

RE


















RECESSED

 15.6 12 CATALAN P.15	 13 18.5 10.5 ALGARVE P.15	 35 17 43.9 ARCHLINE P.15	 8 6.5 13 ASHIELD P.15	 23 26.2 33 BUNGEE RECESSED P.15
 17.2 15.6 23 POWERLINE20 P.16	 30 30 45 POWERLINE30 P.16	 35 35 50 POWERLINE35 P.16	 50 35 65 POWERLINE50 P.16	 75 35 90 POWERLINE75 P.16
 16 14 LUX XO P.17	 16 27 LUX XOWINGS P.17	 14 10 MACRO P.17	 9 7.8 MICRO 8x9 P.17	 8 12 12.8 MICRO WINGED P.17
 15 16 CORREA P.18	 10.1 13.1 CORDOBA P.18	 12 8 DEEP MICRO P.178	 10.4 9 12 ELYSEE P.18	 11.5 10.3 10.2 LUCERNE P.18
 23.5 13.4 29.5 WASHER P.19	 15.6 10 STRATO P.19	 8 22.2 MINICOVER P.189	 20.2 37.2 27.8 ALTO P.19	 23.2 8 LEN14 WINGED P.19

CATEGORY SNAPSHOT

SU

SURFACE MOUNTED

 8.9 16 ASYMMETRICAL STANDARD P. 20	 21.2 24 ASYMMETRICAL VERSATILE P. 20	 5.7 18 BENDI P. 20	 45° adjustable Ø28 STELLAR P. 20	 15 13 LASER P. 20
 28 14.5 IN WARDROBE P. 21	 45 42 MIRROR LIGHT P. 21	 16 15 SIENNA P. 21	 18.2 36.7 13.5 LISBOA P. 21	 12 7.06 12 4.68 FIRENZE P. 21
 60 46.3 ASYMBIG P. 22	 20.2 19.7 ARC1 ROUND P. 22	 20 19.7 ARC2 SQUARE P. 22	 10 21 ANGHEL COVER P. 22	 36.1 18.5 COFFA P. 22
 16 16 SCT001 SQUARE P. 23	 30 30 STC3030 SQUARE P. 23	 30 30 STC3030 ROUND P. 23	 16 16 SCT002 ROUND P. 23	
 76.2 Diffuser 76.2 Diffuser OUTWASH P. 24	 38.7 Diffuser 39 Diffuser OUTWASHEX P. 24	 15.3 17.2 LEL16 P. 24	 8 17.2 LEN14 P. 24	 12 23.5 LEN22 P. 24













PLASTERBOARD

APOLLO P. 25	ARES P. 25	EXOCET P. 25	HERCULES P. 25	INTER P. 25
MINISKOOP P. 26	SKOOP P. 26	NIMITZ P. 26	OFFSET P. 26	PLASTERCOVE P. 26
MUSTANG P. 27	SPITFIRE P. 27	ATHENA P. 27	LINEOUT P. 27	MERCURY P. 27
LINEUP P. 28	MICROCOVE-P P. 28			






CV

COVE

 MARINER P. 29	 PILMET P. 29	 COVE1 P. 29	 HALOCOVE P. 29	 LOWCOVE P. 29
 VESTA P. 30	 MICROCOVE P. 30	 SIRRIUS P. 30	 ANGELCOVE1 P. 30	 HERMES P. 30

SK

SKIRTING

 ROUND SKIRT P. 31	 FLATSKIRT P. 31	 RECESSED SKIRT P. 31	 SKETSKIRT P. 31	 CORVSKIRT P. 31
---	--	---	---	--

CATEGORY SNAPSHOT



WALL

ASYMWASH P. 32	UPWASH P. 32	COFFEX P. 32	CANVAS P. 32
BERLINA P. 32	HADRIAN P. 33	MINIUPDOWN P. 33	RAIL P. 33
RALEWASH P. 33		RPLD P. 33	



ILLUMINATED HANDRAIL



ALLYRAIL P. 34

PRODUCT DETAILS



LINEAR (SUSPENDED)

2525
PRO2525



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available




DIFFUSER

PMMA opal

MAX IP
RATING

IP65

3035
PRO3035



WATTS



2 x 14.4W
2 x 19.2W
pm

COLOURS



Satin anodised
*Other powder coated
colours available



DIFFUSER

Prismatic,
Low glare

MAX IP
RATING

IP65

3535
PRO3535



WATTS



2 x 14.4W
2 x 19.2W
pm

COLOURS



Satin anodised
*Other powder coated
colours available




DIFFUSER

PMMA opal

MAX IP
RATING

IP65

AURORA
PROAUR



WATTS



2 x 14.4W
2 x 19.2W
pm

COLOURS



Satin anodised
*Other powder coated
colours available




DIFFUSER

PMMA opal

MAX IP
RATING

IP40

BEEK
PROBEEK



WATTS



Down:
2x19.2W pm
Up: 9.6W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER

PMMA opal

MAX IP
RATING




IP65

PRODUCT DETAILS



LINEAR (SUSPENDED)

CORONA
PROCOR





WATTS
2 x 19.2W pm

COLOURS
Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

KESTREL K
PROKESTRELK





WATTS
14.4W pm
19.2W pm

COLOURS
Satin anodised
*Other powder coated colours available

DIFFUSER
PC opal

MAX IP RATING
IP40

KESTREL P
PROKESTRELP






WATTS
14.4W pm
19.2W pm

COLOURS
Satin anodised
*Other powder coated colours available

DIFFUSER
PC opal

MAX IP RATING
IP40

LIFTUP/DOWN
PROLIFTUPDOWN






WATTS
2 x 14.4W pm
2 x 19.2W pm

COLOURS
White, Black

DIFFUSER
PC opal

MAX IP RATING
IP65

MINI UP/DOWN PENDANT
PROMINIUPDOWN



WATTS
2 x 14.4W pm
2 x 19.2W pm

COLOURS
Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40



*3 metre lengths available

PRODUCT DETAILS



LINEAR (SUSPENDED)

OSPREY
PROOSPREY



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS





Satin anodised
*Other powder coated
colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP65

SABRE
PROSABRE



WATTS



5 x 5W pm

COLOURS






Satin anodised
*Other powder coated
colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP65

SHEER
PROSHEER



WATTS



9.6W pm
14.4W pm

COLOURS





Satin anodised
*Other powder coated
colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

PLANQ
PROPLANQ



WATTS



19.2W Down
2 x 9.6W Up

COLOURS





Satin anodised
*Other powder coated
colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP65

TOOB40
PROTOOB40



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER
PMMA opal

MAX IP
RATING



IP65

PRODUCT DETAILS



LINEAR (SUSPENDED)

TOOB60
PROTOOB60



Ø60

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER



PMMA opal

MAX IP

RATING

IP65

TOOB100
PROTOOB100



Ø100

WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP65

BUNGEE (MINI TUNNEL)
PROBUNGEE



26.2

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER


PMMA opal

MAX IP



RATING

IP40

TUNNEL
PROTUNNEL



*3 metre lengths available



37

20

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP40

UPDOWN115
PROUPDO115



115

38

WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER

PMMA opal

MAX IP

RATING



IP40

PRODUCT DETAILS



LINEAR (SUSPENDED)

EAGLE
PROEAGLES



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER



Frosted ice

MAX IP

RATING

IP65

FALCON
PROFALCONS



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP65

PHOENIX
PROPHOENIXS



WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP65

HOBBY
PROHOBBY



WATTS



14.4W pm

COLOURS



Black

DIFFUSER



Prismatic,
Low Glare

MAX IP

RATING

IP40

PEREGRINE
PROPEREGRINE



WATTS



21.6W Evolve

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER

Prismatic,
High Reflective
louvre

MAX IP

RATING

IP40






PRODUCT DETAILS

RE

RECESSED

CATALAN
PROCATALAN



WATTS



5W pm
10W pm

COLOURS





Dark Grey

DIFFUSER
Prismatic

MAX IP
RATING

IP40

ALGARVE
PROALGARVE



WATTS



2 x 5W pm
2 x 10W pm

COLOURS






Dark Grey

DIFFUSER
Prismatic

MAX IP
RATING

IP40

ARCHLINE
PROARCHI



WATTS



14.4W pm
19.2W pm

COLOURS





Mill Silver
*Other colours
available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

ASHIELD
PROTOASHIELD



WATTS



9.6W pm
14.4W pm

COLOURS





Satin anodised
*Other colours
available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

BUNGEE RECESSED
PROBUNGEE RECESSED



WATTS



14.4W pm
19.2W pm

COLOURS



Black

DIFFUSER
PMMA opal

MAX IP
RATING

IP40




PRODUCT DETAILS

RE

RECESSED

POWERLINE20

PROPOW20



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal




MAX IP

RATING

IP40

POWERLINE30

PROPOW30



WATTS



21.6W Evolve

COLOURS



Satin anodised
*Other colours available

DIFFUSER

Prismatic,
Low glare




MAX IP

RATING

IP65

POWERLINE35

PROPOW35



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal



MAX IP

RATING

IP65

POWERLINE50

PROPOW50



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal



MAX IP

RATING

IP65

POWERLINE75

PROPOW75



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP

RATING



IP65

PRODUCT DETAILS

RE

RECESSED

LUX XO
PROLUX XO



WATTS



14.4W pm
19.2W pm

DIFFUSER
PMMA opal

COLOURS






Satin anodised
*Other colours
available

MAX IP
RATING

IP40

LUX XOWINGS
PROLUX XOWINGS



WATTS



14.4W pm
19.2W pm

DIFFUSER
PMMA opal

COLOURS





Satin anodised
*Other colours
available

MAX IP
RATING

IP40

MACRO
PROMACRO



WATTS



9.6W pm
14.4W pm

DIFFUSER
PMMA opal

COLOURS





Satin anodised
*Other colours
available

MAX IP
RATING

IP40

MICROWINGED
PROWINGEDMICRO



WATTS



9.6W pm
14.4W pm

DIFFUSER
PMMA opal

COLOURS





Satin anodised
*Other colours
available

MAX IP
RATING

IP40

MICRO8X9
PROMICRO8X9



WATTS



9.6W pm
14.4W pm

DIFFUSER
PMMA opal

COLOURS



Satin anodised
*Other colours
available

MAX IP
RATING




IP40

PRODUCT DETAILS

RE

RECESSED

DEEP MICRO
PRODEEPM



WATTS



9.6W pm
14.4W pm

COLOURS





Satin anodised
*Other colours
available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

CORDOBA
PROCORDOBA



WATTS



COB 5W pm
COB 10W pm

COLOURS





Dark Grey

DIFFUSER
Prismatic

MAX IP
RATING

IP40

ELYSEE
PROELYSEE



WATTS



COB 5W pm
COB 10W pm

COLOURS





Dark Grey

DIFFUSER
Prismatic

MAX IP
RATING

IP40

LUCERNE
PROLUCERNE



WATTS



5W pm

COLOURS






Dark Grey

DIFFUSER
Louvred

MAX IP
RATING

IP40

CORREA
PROCORREA



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40



PRODUCT DETAILS

RE

RECESSED

WASHER

PROWASHER



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

ALTO

PROALTO



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

MINICOVER

PROMINICOVER



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

LEN14 WINGED

PROLEN14W



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

STRATO

PROSTRATO



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP40


PRODUCT DETAILS

SU

SURFACE MOUNTED

ASYMMETRICAL STANDARD

PROASYML



WATTS

19.2W pm
22W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
Asymmetrical acrylic

MAX IP RATING

IP40

ASYMMETRICAL VERSATILE

PROVASYML



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
Asymmetrical acrylic, Opal, Wallgrazer

MAX IP RATING

IP40

BENDI

PROBENDI



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING

IP40

STELLAR

PROSTELLAR



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available




DIFFUSER
PMMA opal or lens

MAX IP RATING

IP40

LASER

PROLASER



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
Asymmetric acrylic, Opal, Wallgrazer

MAX IP RATING



IP40

PRODUCT DETAILS

SU SURFACE MOUNTED

IN WARDROBE

PROWARD



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other anodised
options available

DIFFUSER

PMMA opal



MAX IP

RATING

IP40

MIRROR LIGHT

PROMIRROR



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal



MAX IP

RATING

IP65

SIENNA

PROSIENNA



WATTS



5W pm
10W pm

COLOURS



Dark Grey

DIFFUSER

Prismatic



MAX IP

RATING

IP40

LISBOA

PROLISBOA



WATTS



5W pm
10W pm

COLOURS



Dark Grey

DIFFUSER

Opal acrylic



MAX IP

RATING

IP40

FIRENZE

PROFIRENZE



WATTS



9.6W pm
14.4W pm

COLOURS



Dark grey

DIFFUSER

Prismatic

MAX IP

RATING



IP40

PRODUCT DETAILS

SU



SURFACE MOUNTED

ASYMBIG
PROASYMBIG





WATTS 19.2W pm 22W pm	COLOURS Satin anodised *Other colours available
DIFFUSER Acrylic lens 30° and 60°	MAX IP RATING IP40

ARC1 ROUND
PROARC1





WATTS 14.4W pm 19.2W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PC Opal	MAX IP RATING IP65

ARC2 SQUARE
PROARC2






WATTS 14.4W pm 19.2W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PC Opal	MAX IP RATING IP65

COFFA
PROCOFFA



WATTS 14.4Wpm 19.2Wpm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING IP40

ANGHEL COVER
PROANGHEL



WATTS 9.6Wpm 14.4W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING IP40



PRODUCT DETAILS

SU

SURFACE MOUNTED

SCT001 SQUARE

PROSTC001



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal



MAX IP

RATING

IP65

SCT002 ROUND

PROSTC002



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal



MAX IP

RATING

IP65

STC3030 ROUND

PROSTC30X30RO



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal



MAX IP

RATING

IP65

STC3030 SQUARE

PROSTC30X30SQ



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal

MAX IP

RATING

IP65





PRODUCT DETAILS

SU

SURFACE MOUNTED

OUTWASH

PROOUTWASH



WATTS



2 x 9.6W pm
2 x 14.4W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

OUTWASHEX

PROOUTWASHEX



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

LEL16

PROLEL16



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

LEN14

PROLEN14



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

LEN22

PROLEN22



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal

MAX IP RATING



IP40

PRODUCT DETAILS

PB

PLASTERBOARD

APOLLO
PROAPOLLO



WATTS
 19.2W pm



COLOURS

Satin anodised
*Other colours available

DIFFUSER
Low glare,
Prismatic,
PMMA opal

MAX IP RATING
IP65

ARES
PROARES



WATTS
 19.2W pm



COLOURS

Satin anodised
*Other colours available

DIFFUSER
Low glare,
Prismatic,
PMMA opal

MAX IP RATING
IP65

EXOCET
PROEXOCET



WATTS
 9.6W pm
14.4W pm



COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

HERCULES
PROHERCULES



WATTS
 19.2W pm



COLOURS

Satin anodised
*Other colours available

DIFFUSER
PC opal

MAX IP RATING
IP65

INTER
PROINTER



WATTS
 9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40



PRODUCT DETAILS



PLASTERBOARD

MINISKOOP

PROMINISKOOP



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER




PMMA opal

MAX IP RATING

IP40

SKOOP

PROSKOOP



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

NIMITZ

PRONIMITZ



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

OFFSET

PROOFFSET



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

PLASTERCOVE

PROPLASTERCOVE



WATTS



19.2W pm
22W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP65


PRODUCT DETAILS




PLASTERBOARD

SPITFIRE

PROSPITFIRE



— = set plaster



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING


IP65

MUSTANG

PROMUSTANG



— = set plaster



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal


MAX IP RATING

IP40


*3 metre lengths available

ATHENA

PROATHENA



— = set plaster



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available


DIFFUSER
Low Glare,
Prismatic,
PMMA opal

MAX IP RATING


IP65

LINEOUT

PROLINEOUT



— = set plaster



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available


DIFFUSER
PMMA opal

MAX IP RATING


IP40

MERCURY

PROMERCURY



— = set plaster



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING


IP65

PRODUCT DETAILS


PB

PLASTERBOARD

LINEUP
PROLINEUP



= set plaster



WATTS



14.4W pm
19.2Wpm
22W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal

MAX IP


RATING

IP65

MICROCOVE-P
PROMICROCOVE-P



= set plaster



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal

MAX IP

RATING

IP65



PRODUCT DETAILS





COVE

COVE1

PROCOVE1



*3 metre lengths available



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

HALOCOVE

PROHALOCOVE



WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

LOWCOVE

PROLOWCOVE



WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

MARINER

PROMARINER



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER




PMMA opal

MAX IP RATING

IP65

PILMET

PROPILMET



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING




IP65

PRODUCT DETAILS

CV

COVE

ANGLECOVE1
PROANGLECOVE1





WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

VESTA
PROVESTA






WATTS
19.2W pm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

MICROCOVE
PROMICROCOVE



WATTS
19.2Wpm



COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

*3 metre lengths available

SIRRIUS
PROSIRRIUS






WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

HERMES
PROHERMES



WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal



MAX IP RATING
IP65

PRODUCT DETAILS

SK

SKIRTING

RECESSED SKIRT
PRORECSKIRT





WATTS
 14.4W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

ROUND SKIRT
PROROUND SKIRT





WATTS
 14.4W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

FLATSKIRT
PROFLATSKIRT





WATTS
 14.4W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

SKETSKIRT
PROSKETSKIRT





WATTS
 14.4W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

CORVSKIRT
PROCORVSKIRT



WATTS
 14.4W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

— = set plaster


PRODUCT DETAILS



WALL

ASYMWASH

PROASYMWASH



WATTS



19.2Wpm
22Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



Asymmetrical acrylic

MAX IP RATING

IP40

UPWASH

PROUPWASH



WATTS



21W Evolve

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

CANVAS

PROCANVAS



WATTS



9.6W pm
14.4Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER


Asymmetrical acrylic

MAX IP RATING



IP40

BERLINA

PROBERLINA



*3 metre lengths available



WATTS



21W Evolve

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

COFFEX

PROCOFFEX



WATTS



14.4W pm
19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP65




PRODUCT DETAILS



WALL

HADRIAN

PROHADRIAN



WATTS



Up: 21W Evolve
Down: 14.4W

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

MINIUPDOWN

PROMINIUPDOWN



WATTS



2 x 19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

RAIL

PRORAIL



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

RALEWASH

PRORALEWASH



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER




PMMA opal

MAX IP RATING

IP40

RPLD

PRORPLDWN



WATTS



2 x 14.4Wpm
2 x 19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal

MAX IP RATING

IP65



PRODUCT DETAILS



ILLUMINATED HANDRAIL

ALLYRAIL

PROALLYRAIL



WATTS



2 x 9.6Wpm
2 x 14.4W pm

COLOURS



Black
*Other colours
available

DIFFUSER

PMMA opal

MAX IP
RATING

IP40







TEC=LED

TecLED Pty Ltd - Sydney Head Office

Unit 4, 61 - 71 Beauchamp Road,
Matraville NSW 2036

Telephone: (02) 9317 4177
Email: sales@tecled.com.au

TecLED Pty Ltd – Melbourne*

Level 1, 167-169 Moray Street,
South Melbourne VIC 3205

Telephone: (02) 9317 4177
Email: vicsales@tecled.com.au

TecLED Pty Ltd – Gold Coast*

Telephone: 0425 298 712

***Showroom by appointment only**