


TEC=LED

CAN LIGHTS



TEC=LED



ADJUSTABLE CAN LIGHTS

DELLA



WATTS - LUMENS



10W - 851lms
20W - 1425lms

DIMENSIONS

10W:
Ø50 x 125mm

20W:
Ø60 x 220.5mm

CCT

2700K, 3000K,
4000K

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White
● Gold

DIMMABLE

Triac, Dali

IP RATING

IP20

BEAM ANGLE

15°, 24°, 36°,
50°

TWISTY



WATTS - LUMENS



12W - 765lms
20W - 1020lms

DIMENSIONS

12W:
Ø63 x 181mm

20W:
Ø80 x 207mm

CCT

2700K, 3000K,
4000K

COLOURS

● Black
○ White
● Grey

INNER COLOUR

● Black
○ White
● Gold

DIMMABLE

Triac, Dali

IP RATING

IP20

BEAM ANGLE

10°, 24°, 38°



ADJUSTABLE CAN LIGHTS

OMNI DIRECTIONAL RECESSED SHORT & LONG



WATTS - LUMENS



9W - 643lms
15W - 996lms

DIMENSIONS

Short

9W: Ø80 x 55mm
15W: Ø95 x 60mm

Long

9W: Ø60 x 130mm
15W: Ø60 x 170mm

DIMMABLE

Triac, Dali

IP RATING

IP20

CCT

2700K, 3000K

BEAM ANGLE

24°, 36°

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White
● Gold

OMNI DIRECTIONAL SURFACE MOUNTED SHORT & LONG



WATTS - LUMENS



9W - 643lms
15W - 860lms

DIMENSIONS

Short

9W: Ø80 x 100mm
15W: Ø95 x 120mm

Long

9W: Ø63 x 170mm
15W: Ø63 x 200mm

DIMMABLE

Triac, Dali

IP RATING

IP20

CCT

2700K, 3000K

BEAM ANGLE


24°, 36°

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White
● Gold



FIXED CAN LIGHTS

GALAXY



WATTS - LUMENS



10W - 1100lms
15W - 1500lms
25W - 2500lms

DIMMABLE

Non-Dimmable,
Triac, Dali

DIMENSIONS

Ø93 x 118mm

CCT

2700K, 3000K,
4000K, 5000K

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White
○ Silver

ROD



WATTS - LUMENS



7W - 630lms

DIMENSIONS

Ø40 x 150(H)mm
Ø40 x 250(H)mm
Ø40 x 350(H)mm
Ø40 x 450(H)mm

CCT

2700K, 3000K, 4000K

COLOUR

● Black
○ White
○ Chrome

IP RATING

IP20

DIMMABLE


Triac, Dali, Casambi

VOLTAGE

24vDC

BEAM ANGLE

15°, 24°, 36°



FIXED CAN LIGHTS

NOVA



WATTS - LUMENS



10W - 1100lms
15W - 1500lms

DIMENSIONS

Ø65 x 180mm

CCT

2700K, 3000K,
4000K, 5000K

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White
● Silver

DIMMABLE

Triac, Dali

IP RATING

IP20

BEAM ANGLE

15°, 24°, 36°, 50°

ROSSO



WATTS - LUMENS



10W - 900lms
15W - 1350lms

DIMENSIONS

10W
Ø90 x 90mm

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White
● Chrome

CCT

2700K, 3000K,
4000K, 5000K

15W
Ø110 x 120mm

DIMMABLE

Triac, Dali

IP RATING

IP44

BEAM ANGLE

24°, 38°, 60°

TORO



WATTS - LUMENS



12W - 836lms
20W - 1800lms

DIMENSIONS

12W
Ø73 x 125mm

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White

CCT

2700K, 3000K,
4000K, 5000K

20W
Ø93 x 160mm

DIMMABLE

Triac, Dali

IP RATING

IP44

BEAM ANGLE

12°, 24°, 38°, 55°



FIXED CAN LIGHTS

THE ALICE



WATTS - LUMENS



13W - 1100lms
20W - 1800lms
25W - 2400lms

DIMENSIONS

13W:
Ø90 x 100mm
20W:
Ø90 x 150mm
25W:
Ø90 x 200mm

CCT

2700K, 3000K,
4000K, 5000K

COLOURS

● Black
○ White

INNER COLOUR

● Black
○ White
● Gold

DIMMABLE

Triac, Dali

IP RATING

IP20

BEAM ANGLE

24°, 38°, 60°

GLADIATOR



WATTS - LUMENS



15W - 1500lms
20W - 2000lms
25W - 2500lms

DIMENSIONS

Ø80 x 180.5mm

CCT

3000K, 4000K,
5000K

COLOURS

● Black
○ White
● Silver

DIMMABLE

Triac, Dali

IP RATING

IP20


BEAM ANGLE

15°, 24°, 36°, 60°



FIXED CAN LIGHTS

ZELA DECOR SURFACE MOUNT



Clear Glass

Opaque

Prismatic

Honeycomb

WATTS - LUMENS



6.4W - 580lms
11.1W - 900lms

DIMENSIONS

Ø86 x 160mm

COLOURS

- Black
- White

CCT

2400K, 2700K,
3000K, 4000K,
Sunset Dimming

IP RATING

IP20

INNER COLOUR

- Black
- White
- Gold
- Bronze
- Copper


DIMMABLE

Triac

BEAM ANGLE

Lens: 9°, 15°, 20°
Honeycomb: 30°, 40°
Clear Glass: 40°, 55°
Prismatic: 40°, 55°
Opaque: 90°





TEC=LED

TecLED Pty Ltd - Sydney Head Office

Unit 4, 61 - 71 Beauchamp Road,
Matraville NSW 2036

Telephone: (02) 9317 4177

Email: sales@tecled.com.au

TecLED Pty Ltd – Melbourne*

Level 1, 167-169 Moray Street,
South Melbourne VIC 3205

Telephone: (02) 9317 4177

Email: vicsales@tecled.com.au

TecLED Pty Ltd – Gold Coast*

Telephone: 0425 298 712

***Showroom by appointment only**