

TEC=LED

MAGNETIC TRACK



SPOT LIGHTS
MAGNETIC SPOT




COLOUR
OPTIONS

- Black
- White

7W

10W

15W



GRIDS AND BAR

FIXED MULTI GRID



COLOUR
OPTIONS

●
Black


○
White

6W

12W

18W

24W



ADJUSTABLE MULTI GRID




COLOUR
OPTIONS

●
Black

6W

12W

18W



FIXED BAR



COLOUR
OPTIONS

●
Black

○
White


6W

12W

24W

30W

40W



SPHERE LIGHTS

SPHERE SPOT



COLOUR OPTIONS




Black



White

7W



SPHERE DROP



COLOUR OPTIONS




Black



White

7W



PENDANTS LIGHTS

PIPE 34 MM



COLOUR OPTIONS




Black



White

10W



PIPE 50 MM



COLOUR OPTIONS




Black



White

10W



ADJUSTABLE BEAM LIGHTS


ADJUSTABLE SPHERA



COLOUR OPTIONS

- Black
- White

10W




ADJUSTABLE CAN



COLOUR OPTIONS


- Black
- White

10W




TRACKS & ACCESSORIES


RECESSED EXTERNAL



RECESSED INTERNAL



SURFACE AND SUSPENDED



L.V. POWER-FEE



STRAIGHT JOINER



CORNER CONNECTOR



90DEG JOINER



END CAP



ANTI DUST COVER



SUSPENSION KIT 2000MM



MAGNETIC TRACK

TEC-LED

Recessed (Internal)
Mounted

Recessed (External)
Mounted

*Ideal for plaster

Surface Mounted

Suspended

SPECIFICATIONS

Code	Colour Temp.	Watts	Lumens	Beam angle	CRI	Rating	Voltage	Dimming Options	Colour	Dimensions	Material
SPOT LIGHTS											
MTSPOTLIGHT3W	2700K, 3000K, 4000K, 5700K	3W	240	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ30x H80mm	Aluminium
MTSPOTLIGHT5W	2700K, 3000K, 4000K, 5700K	5W	400	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ35 x H72mm	Aluminium
MTSPOTLIGHT7W	2700K, 3000K, 4000K, 5700K	7W	560	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ35x H80mm	Aluminium
MTSPOTLIGHT10W	2700K, 3000K, 4000K, 5700K	10W	960	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ45x H100mm	Aluminium
MTSPOTLIGHT15W	2700K, 3000K, 4000K, 5700K	15W	1200	15°, 24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	DØ55x H120mm	Aluminium
MTSPOTLIGHT2X8W	2700K, 3000K, 4000K, 5700K	2x8W	1280	24°, 40°, 60°	90	IP20	48V	NonDim/DALI	Black, White	DØ34x H90mm	Aluminium
GRID LIGHTS											
MFIXEDGRID6W	2700K, 3000K, 4000K, 5700K	6W	480	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L112 x W22x H45mm	Aluminium
MFIXEDGRID12W	2700K, 3000K, 4000K, 5700K	12W	960	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L220x W23x H45mm	Aluminium
MFIXEDGRID18W	2700K, 3000K, 4000K, 5700K	18W	1440	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L328 x W23x H45mm	Aluminium
MFIXEDGRID24W	2700K, 3000K, 4000K, 5700K	24W	1920	24°, 38°	90	IP20	48V	NonDim/DALI	Black, White	L436 x W23x H45mm	Aluminium
MTADJUSTABLEGRID6W	2700K, 3000K, 4000K, 5700K	6W	480	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black	L112 x W23x H113mm	Aluminium
MTADJUSTABLEGRID12W	2700K, 3000K, 4000K, 5700K	12W	960	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black	L220 x W23x H113mm	Aluminium
MTADJUSTABLEGRID18W	2700K, 3000K, 4000K, 5700K	18W	1440	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black	L328 x W23x H105mm	Aluminium
BAR LIGHTS											
MTFIXEDBAR6W	2700K, 3000K, 4000K, 5700K	6W	420	110°	90	IP20	48V	NonDim/DALI	Black, White	L112 x W23 x H45mm	Aluminium
MTFIXEDBAR12W	2700K, 3000K, 4000K, 5700K	12W	840	110°	90	IP20	48V	NonDim/DALI	Black, White	L305 x W23 x H45mm	Aluminium
MTFIXEDBAR24W	2700K, 3000K, 4000K, 5700K	24W	1680	110°	90	IP20	48V	NonDim/DALI	Black, White	L605 x W23x H45mm	Aluminium
MTFIXEDBAR30W	2700K, 3000K, 4000K, 5700K	30W	2100	110°	90	IP20	48V	NonDim/DALI	Black, White	L905 x W23x H45mm	Aluminium
MTFIXEDBAR40W	2700K, 3000K, 4000K, 5700K	40W	2800	110°	90	IP20	48V	NonDim/DALI	Black, White	L1205 x W23x H45mm	Aluminium
SPHERE LIGHTS											
MTSPHERESPOT7W	2700K, 3000K, 4000K, 5700K	7W	560	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black, White	DØ100 x H180mm	Aluminium
MTSPHEREDROP7W	2700K, 3000K, 4000K, 5700K	7W	560	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black, White	DØ100 x H1000mm	Aluminium
PENDANT LIGHTS											
MTPIPE5010W	2700K, 3000K, 4000K, 5700K	10W	800	15°, 24°, 36°	90	IP20	48V	NonDim/DALI	Black, White	DØ50 x H300mm	Aluminium
MTPIPE3410W	2700K, 3000K, 4000K, 5700K	10W	800	15°, 40°, 60°	90	IP20	48V	NonDim/DALI	Black, White	DØ34 x H200mm	Aluminium
MTADJSPIERA10W	2700K, 3000K, 4000K, 5700K	10W	800	10°-60°	90	IP20	48V	NonDim/DALI	Black, White	DØ100 x H100mm	Aluminium
MTADJCAN10W	2700K, 3000K, 4000K, 5700K	10W	800	10°-60°	90	IP20	48V	NonDim/DALI	Black, White	DØ58 x H152mm	Aluminium



TEC=LED

TecLED Pty Ltd - Sydney Head Office

Unit 4, 61 - 71 Beauchamp Road,
Matraville NSW 2036

Telephone: (02) 9317 4177

Email: sales@tecled.com.au

TecLED Pty Ltd – Melbourne*

Level 1, 167-169 Moray Street,
South Melbourne VIC 3205

Telephone: (02) 9317 4177

Email: vicsales@tecled.com.au

TecLED Pty Ltd – Gold Coast*

Telephone: 0425 298 712

*Showroom by appointment only