

TEC=LED

TRACK LIGHTS





TRACK LIGHTS

DELLA



 **FLICKER-FREE**

COLOUR OPTIONS



Black



White

TRIM OPTIONS



Black



White




Gold

FILTER OPTIONS



Honeycomb

10W



CIRCUIT OPTIONS




Single Circuit



Dali 6 Wire

20W



CIRCUIT OPTIONS




Single Circuit



Dali 6 Wire

25W



CIRCUIT OPTIONS



3 Circuit



Dali 6 Wire

ALFRESCO



 **FLICKER-FREE**

COLOUR OPTIONS



Black



White

FILTER OPTIONS




Honeycomb



Anti-Glare

12W



CIRCUIT OPTIONS




3 Circuit



Dali 4 Wire

20W / 30W



CIRCUIT OPTIONS



3 Circuit



Dali 4 Wire

TECH



 **FLICKER-FREE**

COLOUR OPTIONS



Black



White



Silver

FILTER OPTIONS




Honeycomb



Anti-Glare

30W



CIRCUIT OPTIONS




3 Circuit



Dali 4 Wire

45W



CIRCUIT OPTIONS



3 Circuit



Dali 4 Wire

GLADIATOR



 **FLICKER-FREE**

COLOUR OPTIONS



Black



White



Silver

FILTER OPTIONS




Honeycomb



Anti-Glare

15W / 20W / 25W




CIRCUIT OPTIONS



Single Circuit



Dali 6 Wire



TRACK LIGHTS CONTINUE

SNF




COLOUR OPTIONS

-  Black
-  White


FILTER OPTIONS

-  Honeycomb
-  Anti-Glare



CIRCUIT OPTIONS

-  3 Circuit



CIRCUIT OPTIONS

-  3 Circuit

NOVA




COLOUR OPTIONS

-  Black
-  White

FILTER OPTIONS

-  Honeycomb
-  Anti-Glare



CIRCUIT OPTIONS

-  3 Circuit
-  Dali 6 Wire

TWISTY




 FLICKER-FREE

COLOUR OPTIONS

-  Black
-  White
-  Silver


TRIM OPTIONS (both models)

-  White
-  Gold
-  Black



CIRCUIT OPTIONS


-  Single Circuit
-  Dali 4 Wire
-  Dali 6 Wire



CIRCUIT OPTIONS

-  Single Circuit
-  Dali 4 Wire
-  Dali 6 Wire

EVOLFALC




CIRCUIT OPTIONS

-  3 Circuit
-  Dali 4 Wire

TRACK

STANDARD

SURFACE MOUNTED/SUSPENDED



Surface Mounted:
T1MBLK/WH; 2MBLK/WH; 3MBLK/WH
Suspended:
TS1MBLK/WH; 2MBLK/WH; 3MBLK/WH


CIRCUIT OPTIONS

Single Circuit

COLOUR OPTIONS

Black
White

RECESSED




TR1MBLK/WH; 2MBLK/WH

CIRCUIT OPTIONS

Single Circuit

COLOUR OPTIONS

Black
White




Surface Mounted:
T3CT1MBLK/WH; 2MBLK/WH; 3MBLK/WH
Suspended:
TS3CT1MBLK/WH; 2MBLK/WH; 3MBLK/WH

CIRCUIT OPTIONS

3 Circuit

COLOUR OPTIONS

Black
White



TR3CT1MBLK/WH; 2MBLK/WH; 3MBLK/WH

CIRCUIT OPTIONS


3 Circuit

COLOUR OPTIONS

Black
White

DALI

SURFACE MOUNTED/SUSPENDED



Surface Mounted:
T4WDALI1MBLK/WH; 2MBLK/WH; 3MBLK/WH
Suspended:
TS4WDALI1MBLK/WH; 2MBLK/WH; 3MBLK/WH


CIRCUIT OPTIONS

Dali 4 Wire

COLOUR OPTIONS

Black
White

RECESSED




TR4WDALI1MBLK/WH; 2MBLK/WH

CIRCUIT OPTIONS

Dali 4 Wire

COLOUR OPTIONS

Black
White




Surface Mounted:
T6WDALI1MBLK/WH; 2MBLK/WH; 3MBLK/WH
Suspended:
TS6WDALI1MBLK/WH; 2MBLK/WH; 3MBLK/WH

CIRCUIT OPTIONS

Dali 6 Wire

COLOUR OPTIONS

Black
White



TR6WDALI1MBLK/WH; 2MBLK/WH



CIRCUIT OPTIONS





Dali 6 Wire

COLOUR OPTIONS

Black
White

ACCESSORIES

SINGLE CIRCUIT TRACK COMPONENTS			CIRCUIT OPTIONS ① Single Circuit		COLOUR OPTIONS ● Black ○ White		
							
X-piece Joiner LTLXJB/W	T-piece Joiner LTLTJB/W	90° Elbow Joiner LTL90JB/W	Straight Joiner LTL SLJB/W	I-Joiner LTL IJB/W	Live End LTLLEB/W	Track Adaptor LTLTAB/W	

3 CIRCUIT TRACK COMPONENTS			CIRCUIT OPTIONS ③ 3 Circuit		COLOUR OPTIONS ● Black ○ White		
							
Flexible L-Joint LTL3CTFLJB/W	Straight Joiner LTL3CTSJB/W	90° Elbow Joiner LTL3CT90JB/W	Line End LTL3CTLEB/W	Adaptor LTL3CTADP-B/W	Dead End LTL3CTDEB/W		

DALI 4 WIRE TRACK COMPONENTS			CIRCUIT OPTIONS ④ Dali 4 Wire		COLOUR OPTIONS ● Black ○ White		
							
X-piece Joiner LTDALIXJ4B/W	T-piece Joiner LTDALITJ4B/W	90° Elbow Joiner LTDALI90JL4B/W LTDALI90JR4B/W	Live Joiner LTDALILJ4B/W	Live End LTDALILE4B/W	Dead End LTDALIDE4B/W	Joiner LTDALIJ4B/W	Flexi Joiner LTDALIFJ4B/W

DALI 6 WIRE TRACK COMPONENTS			CIRCUIT OPTIONS ⑥ Dali 6 Wire		COLOUR OPTIONS ● Black ○ White		
							
X-piece Joiner LTDALIXJ6B/W	T-piece Joiner LTDALITJ6B/W	90° Elbow Joiner LTDALI90JL6B/W LTDALI90JR6B/W	Live Joiner LTDALILJ6B/W	Live End LTDALILE6B/W	Dead End LTDALIDE6B/W	Joiner LTDALIJ6B/W	Flexi Joiner LTDALIFJ6B/W

TRACK LIGHTS SPECIFICATIONS

CODE	Colour Temp.	Watts	Lumens	Beam angle	CRI	Rating	Voltage	Dimming Options	Colour	Dimensions	Material	Track Options
DELLA TRACK LIGHT												
TLDELLA10W	2700K, 3000K, 4000K, Sunset Dim	10W	698	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L125 x D50 x H182.5mm (single) L125 x D50 x H255mm (dali)	Aluminium	Single Circuit/ Dali
TLDELLA20W	2700K, 3000K, 4000K, Sunset Dim	20W	1432	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L185 x D60 x H250mm (single) L185 x D60 x H255mm (dali)	Aluminium	Single Circuit/ Dali
TLDELLA25W	2700K, 3000K, 4000K, Sunset Dim	25W	1564	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L185 x D60 x H255mm	Aluminium	3 Circuit/ Dali
ALFRESCO TRACK LIGHT												
TLALFRESCO12W	2700K, 3000K, 4000K, 5000K	12W	1350	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L150 x DØ65 x H178mm	Aluminium	3 Circuit/ Dali
TLALFRESCO20W	2700K, 3000K, 4000K, 5000K	20W	2000	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L221 x DØ100 x H321mm	Aluminium	3 Circuit/ Dali
TLALFRESCO30W	2700K, 3000K, 4000K, 5000K	30W	3100	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L221 x DØ100 x H321mm	Aluminium	3 Circuit/ Dali
TECH TRACK LIGHT												
TLTECH30W	2700K, 3000K, 4000K, 5000K	30W	3100	15°, 24°, 36°, 60°	90	IP20	240V	DALI, TRIAC	Black, White, Silver	L253 x DØ100 x H205.4mm	Aluminium	3 Circuit/ Dali
TLTECH45W	2700K, 3000K, 4000K, 5000K	45W	4500	15°, 24°, 36°, 60°	90	IP20	240V	DALI, TRIAC	Black, White, Silver	L295 x DØ118 x H313mm	Aluminium	3 Circuit/ Dali
GLADIATOR TRACK LIGHT												
TLGLADIATOR15W	2700K, 3000K, 4000K, 5000K	15W	1370	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White, Silver	L170 x DØ80 x H240mm	Aluminium	3 Circuit/ Dali
TLGLADIATOR20W	2700K, 3000K, 4000K, 5000K	20W	2100	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L170 x DØ80 x H240mm	Aluminium	3 Circuit/ Dali
TLGLADIATOR25W	2700K, 3000K, 4000K, 5000K	25W	2500	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L170 x DØ80 x H240mm	Aluminium	3 Circuit/ Dali
SNF TRACK LIGHT												
TLSNF15W	2700K, 3000K, 4000K, 5000K	15W	1000	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC	Black, White	L128.5 x DØ85 x H224mm	Aluminium	3 Circuit
TLSNF30W	2700K, 3000K, 4000K, 5000K	30W	3000	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC	Black, White	L133.8 x DØ116 x H220mm	Aluminium	3 Circuit
NOVA TRACK LIGHT												
TLNOVA15W	2700K, 3000K, 4000K, 6000K, 6500K	15W	1500	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White,	L145 x DØ65mm (single) / L130 x DØ65mm (dali)	Aluminium	3 Circuit/ Dali
TLNOVA25W	2700K, 3000K, 4000K, 6000K, 6500K	25W	2500	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L145 x DØ65mm (single) / L130 x DØ65mm (dali)	Aluminium	3 Circuit/ Dali
TLNOVA30W	2700K, 3000K, 4000K, 6000K, 6500K	30W	3000	15°, 24°, 36°, 60°	90	IP20	240V	TRIAC/ DALI	Black, White	L145 x DØ65mm (single) / L130 x DØ65mm (dali)	Aluminium	3 Circuit/ Dali
TWISTY TRACK LIGHT												
TLTWISTYR12W	CCT adjustable 3000-5000K	12W	1020	15°, 24°, 36°, 55°	80	IP22	240V	TRIAC	Black, White, Grey	L180 x DØ63mm	Aluminium	Single Circuit /Dali
TLTWISTYR20W	CCT adjustable 3000-5000K	20W	1700	15°, 24°, 36°, 55°	80	IP22	240V	TRIAC	Black, White, Grey	L207 x DØ80mm	Aluminium	Single Circuit /Dali
EVOLFALC TRACK LIGHT												



TEC=LED

TecLED Pty Ltd - Sydney Head Office

Unit 4, 61 - 71 Beauchamp Road,
Matraville NSW 2036

Telephone: (02) 9317 4177

Email: sales@tecled.com.au

TecLED Pty Ltd – Melbourne*

Level 1, 167-169 Moray Street,
South Melbourne VIC 3205

Telephone: (02) 9317 4177

Email: vicsales@tecled.com.au

TecLED Pty Ltd – Gold Coast*

Telephone: 0425 298 712

***Showroom by appointment only**