

TEC=LED









ALUMINIUM PROFILE RANGE



TEC=LED

TecLED'S range of aluminium LED housing extrusion profiles cater for all conceivable lighting installations and effects. Our technical staff can advise and assist in selecting the appropriate fitting to suit your particular specifications and thus give effect to your creative vision. If required, we provide site installation and supervision for all our solutions.


























Our profiles are categorised according to their method of installation.

	CATEGORY	ICON	PAGE
	Linear Pendant (Suspended)	LI	9
	Recessed	RE	15
	Surface Mounted	SU	20
	Plasterboard	PB	25
	Cove	CV	29
	Skirting	SK	31
	Wall	WA	32
	Illuminated Handrails	IH	34

CATEGORY SNAPSHOT



LINEAR (SUSPENDED)

<p>25.4</p>  <p>25.4</p> <p>2525 P.9</p>	<p>30</p>  <p>22.4</p> <p>3035 P.9</p>	<p>35</p>  <p>35</p> <p>3535 P.9</p>	<p>85</p>  <p>85</p> <p>AURORA P.9</p>	<p>75</p>  <p>95</p> <p>BEEM P.9</p>
<p>75</p>  <p>50</p> <p>CORONA P.10</p>	<p>19.7</p>  <p>19.7</p> <p>KESTREL K.P.10</p>	<p>36</p>  <p>19</p> <p>KESTREL P.P.10</p>	<p>90</p>  <p>24</p> <p>LIFT UP/DOWN P.10</p>	<p>35</p>  <p>25.4</p> <p>MINI UP/DOWN PENDANT P.10</p>
<p>35</p>  <p>50</p> <p>OSPREY P.11</p>	 <p>Ø76</p> <p>SABRE P.11</p>	<p>12</p>  <p>10</p> <p>SHEER P.11</p>	<p>27 27 27</p>  <p>150</p> <p>PLANQ P.11</p>	 <p>Ø40</p> <p>TOOB40 P.11</p>
 <p>Ø60</p> <p>TOOB60 P.12</p>	 <p>Ø100</p> <p>TOOB100 P.12</p>	<p>26.2</p>  <p>23</p> <p>BUNGEE (MINI TUNNEL) P.12</p>	<p>37</p>  <p>20</p> <p>TUNNEL P.12</p>	<p>115</p>  <p>38</p> <p>UP/DOWN115 P.12</p>
<p>50</p>  <p>60</p> <p>EAGLE P.13</p>	<p>74.5</p>  <p>49</p> <p>FALCON P.13</p>	<p>89.5</p>  <p>82</p> <p>PHOENIX P.13</p>	<p>28</p>  <p>16</p> <p>HOBBY P.13</p>	<p>80</p>  <p>53.8</p> <p>PEREGRINE P.13</p>

CATEGORY SNAPSHOT

RE









RECESSED

 <p>15.6</p> <p>12</p> <p>CATALAN P. 15</p>	 <p>13</p> <p>18.5</p> <p>10.5</p> <p>ALGARVE P. 15</p>	 <p>35</p> <p>17</p> <p>43.9</p> <p>ARCHLINE P. 15</p>	 <p>8</p> <p>6.5</p> <p>13</p> <p>ASHIELD P. 15</p>	 <p>23</p> <p>26.2</p> <p>33</p> <p>BUNGEE RECESSED P. 15</p>
 <p>17.2</p> <p>15.6</p> <p>23</p> <p>POWERLINE20 P.16</p>	 <p>30</p> <p>30</p> <p>45</p> <p>POWERLINE30 P.16</p>	 <p>35</p> <p>35</p> <p>50</p> <p>POWERLINE35 P.16</p>	 <p>50</p> <p>35</p> <p>65</p> <p>POWERLINE50 P.16</p>	 <p>75</p> <p>35</p> <p>90</p> <p>POWERLINE75 P.16</p>
 <p>16</p> <p>14</p> <p>LUXZO P.17</p>	 <p>16</p> <p>27</p> <p>LUXXOWINGS P. 17</p>	 <p>14</p> <p>10</p> <p>MACRO P.17</p>	 <p>9</p> <p>7.8</p> <p>MICRO 8x9 P.17</p>	 <p>8</p> <p>12</p> <p>12.8</p> <p>MICRO WINGED P.17</p>
 <p>15</p> <p>16</p> <p>CORREA P. 18</p>	 <p>10.1</p> <p>13.1</p> <p>CORDOBA P. 18</p>	 <p>12</p> <p>8</p> <p>DEEP MICRO P. 178</p>	 <p>10.4</p> <p>9</p> <p>12</p> <p>ELYSEE P. 18</p>	 <p>11.5</p> <p>10.3</p> <p>10.2</p> <p>LUCERNE P. 18</p>
 <p>23.5</p> <p>13.4</p> <p>29.5</p> <p>WASHER P. 19</p>	 <p>15.6</p> <p>10</p> <p>STRATO P. 19</p>	 <p>8</p> <p>22.2</p> <p>MINICOVER P. 189</p>	 <p>20.2</p> <p>37.2</p> <p>27.8</p> <p>ALTO P. 19</p>	 <p>23.2</p> <p>8</p> <p>LEN14 WINGED P. 19</p>

CATEGORY SNAPSHOT

SU





SURFACE MOUNTED

 <p>8.9</p> <p>16</p> <p>ASYMMETRICAL STANDARD P. 20</p>	 <p>21.2</p> <p>24</p> <p>ASYMMETRICAL VERSATILE P. 20</p>	 <p>5.7</p> <p>18</p> <p>BENDI P. 20</p>	 <p>45° adjustable</p> <p>Ø28</p> <p>STELLAR P. 20</p>	 <p>15</p> <p>13</p> <p>LASER P. 20</p>
 <p>28</p> <p>14.5</p> <p>IN WARDROBE P. 21</p>	 <p>45</p> <p>42</p> <p>MIRROR LIGHT P. 21</p>	 <p>16</p> <p>15</p> <p>SIENNA P. 21</p>	 <p>18.2</p> <p>36.7</p> <p>13.5</p> <p>LISBOA P. 21</p>	 <p>12</p> <p>7.06</p> <p>12</p> <p>4.68</p> <p>FIRENZE P. 21</p>
 <p>60</p> <p>46.3</p> <p>ASYMBIG P. 22</p>	 <p>20.2</p> <p>19.7</p> <p>ARC1 ROUND P. 22</p>	 <p>20</p> <p>19.7</p> <p>ARC2 SQUARE P. 22</p>	 <p>10</p> <p>21</p> <p>ANGHEL COVER P. 22</p>	 <p>36.1</p> <p>18.5</p> <p>COFFA P. 22</p>
 <p>16</p> <p>16</p> <p>SCT001 SQUARE P. 23</p>	 <p>30</p> <p>30</p> <p>STC3030 SQUARE P. 23</p>	 <p>30</p> <p>30</p> <p>STC3030 ROUND P. 23</p>	 <p>16</p> <p>16</p> <p>SCT002 ROUND P. 23</p>	
 <p>76.2</p> <p>76.2</p> <p>Diffuser</p> <p>Diffuser</p> <p>OUTWASH P. 24</p>	 <p>38.7</p> <p>39</p> <p>Diffuser</p> <p>Diffuser</p> <p>OUTWASHEX P. 24</p>	 <p>15.3</p> <p>17.2</p> <p>LEL16 P. 24</p>	 <p>8</p> <p>17.2</p> <p>LEN14 P. 24</p>	 <p>12</p> <p>23.5</p> <p>LEN22 P. 24</p>

CATEGORY SNAPSHOT

PB

PLASTERBOARD



CV

COVE

<p>MARINER P. 29</p>	<p>PILMET P. 29</p>	<p>COVE1 P. 29</p>	<p>HALOCOVE P. 29</p>	<p>LOWCOVE P. 29</p>
<p>VESTA P. 30</p>	<p>MICROCOVE P. 30</p>	<p>SIRRIUS P. 30</p>	<p>ANGELCOVE1 P. 30</p>	<p>HERMES P. 30</p>

SK




SKIRTING

<p>ROUND SKIRT P. 31</p>	<p>FLATSKIRT P. 31</p>	<p>RECESSED SKIRT P. 31</p>	<p>SKETSKIRT P. 31</p>	<p>CORVSKIRT P. 31</p>
--------------------------	------------------------	-----------------------------	------------------------	------------------------

CATEGORY SNAPSHOT


WA

WALL



IH

ILLUMINATED HANDRAIL





PRODUCT DETAILS

LI

LINEAR (SUSPENDED)

2525
PRO2525



WATTS

14.4W pm
19.2W pm

COLOURS




Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP65

3035
PRO3035



WATTS

2 x 14.4W
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER
Prismatic,
Low glare

MAX IP RATING

IP65

3535
PRO3535



WATTS

2 x 14.4W
2 x 19.2W pm

COLOURS




Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP65

AURORA
PROAUR



WATTS

2 x 14.4W
2 x 19.2W pm

COLOURS




Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP40

BEEM
PROBEEM



WATTS

Down:
2x19.2W pm
Up: 9.6W pm

COLOURS

Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP RATING




IP65

PRODUCT DETAILS



LINEAR (SUSPENDED)

CORONA PROCOR



WATTS

 2 x 19.2W pm

COLOURS



 Satin anodised
*Other powder coated colours available

DIFFUSER PMMA opal


MAX IP RATING

IP65

KESTREL K PROKESTRELK



WATTS

 14.4W pm
19.2W pm

COLOURS



 Satin anodised
*Other powder coated colours available

DIFFUSER PC opal


MAX IP RATING

IP40

KESTREL P PROKESTRELP



WATTS

 14.4W pm
19.2W pm

COLOURS




 Satin anodised
*Other powder coated colours available

DIFFUSER PC opal


MAX IP RATING

IP40

LIFTUP/DOWN PROLIFTUPDOWN



WATTS

 2 x 14.4W pm
2 x 19.2W pm

COLOURS




  White, Black

DIFFUSER PC opal


MAX IP RATING

IP65

MINI UP/DOWN PENDANT PROMINIUPDOWN



WATTS

 2 x 14.4W pm
2 x 19.2W pm

COLOURS

 Satin anodised
*Other powder coated colours available

DIFFUSER PMMA opal

MAX IP RATING

IP40



*3 metre lengths available

PRODUCT DETAILS



LINEAR (SUSPENDED)

OSPREY PROOSPREY



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP65

SABRE PROSABRE



WATTS



5 x 5W pm

COLOURS



Satin anodised
*Other powder coated colours available




DIFFUSER

PMMA opal

MAX IP RATING

IP65

SHEER PROSHEER



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other powder coated colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP40

PLANQ PROPLANQ



WATTS



19.2W Down
2 x 9.6W Up

COLOURS



Satin anodised
*Other powder coated colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP65

TOOB40 PROTOOB40



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER

PMMA opal

MAX IP RATING



IP65

PRODUCT DETAILS



LINEAR (SUSPENDED)

TOOB60 PROTOOB60



Ø60

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP65

TOOB100 PROTOOB100



Ø100

WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available




DIFFUSER

PMMA opal

MAX IP RATING

IP65

BUNGEE (MINI TUNNEL) PROBUNGEE



26.2

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER

PMMA opal



MAX IP RATING

IP40

TUNNEL PROTUNNEL



*3 metre lengths available



37

20

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available




DIFFUSER

PMMA opal

MAX IP RATING

IP40

UPDOWN115 PROUPDO115



115

38

WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER

PMMA opal

MAX IP RATING



IP40

PRODUCT DETAILS



LINEAR (SUSPENDED)

EAGLE PROEAGLES



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available



DIFFUSER

Frosted ice

MAX IP RATING

IP65

FALCON PROFALCONS



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available




DIFFUSER

PMMA opal

MAX IP RATING

IP65

PHOENIX PROPHOENIXS



WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available




DIFFUSER

PMMA opal

MAX IP RATING

IP65

HOBBY PROHOBBY



WATTS



14.4W pm

COLOURS



Black



DIFFUSER

Prismatic,
Low Glare

MAX IP RATING

IP40

PEREGRINE PROPEREGRINE



WATTS



21.6W Evolve

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER

Prismatic,
High Reflective
louvre

MAX IP RATING

IP40






PRODUCT DETAILS

RE

RECESSED

CATALAN

PROCATALAN



WATTS



5W pm
10W pm

COLOURS



Dark Grey

DIFFUSER



Prismatic

MAX IP RATING

IP40

ALGARVE

PROALGARVE



WATTS



2 x 5W pm
2 x 10W pm

COLOURS



Dark Grey

DIFFUSER




Prismatic

MAX IP RATING

IP40

ARCHLINE

PROARCHI



WATTS



14.4W pm
19.2W pm

COLOURS



Mill Silver
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

ASHIELD

PROTOASHIELD



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

BUNGEE RECESSED

PROBUNGEE RECESSED



WATTS



14.4W pm
19.2W pm

COLOURS



Black

DIFFUSER

PMMA opal

MAX IP RATING

IP40



PRODUCT DETAILS

RE

RECESSED

POWERLINE20

PROPOW20



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING

IP40

POWERLINE30

PROPOW30



WATTS



21.6W Evolve

COLOURS



Satin anodised
*Other colours available



DIFFUSER
Prismatic,
Low glare

MAX IP RATING

IP65

POWERLINE35

PROPOW35



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours available


DIFFUSER
PMMA opal

MAX IP RATING

IP65

POWERLINE50

PROPOW50



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours available


DIFFUSER
PMMA opal

MAX IP RATING

IP65

POWERLINE75

PROPOW75



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING



IP65

PRODUCT DETAILS

RE

RECESSED

LUX XO
PROLUX XO



WATTS

14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP40

LUX X WINGS
PROLUX X WINGS



WATTS

14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP40

MACRO
PROMACRO



WATTS

9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP40

MICROWINGED
PROWINGEDMICRO



WATTS

9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP40

MICRO8X9
PROMICRO8X9



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP40




PRODUCT DETAILS

RE

RECESSED

DEEP MICRO

PRODEEPM



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING

IP40

CORDOBA

PROCORDOBA



WATTS



COB 5W pm
COB 10W pm

COLOURS



Dark Grey



DIFFUSER
Prismatic

MAX IP RATING

IP40

ELYSEE

PROELYSEE



WATTS



COB 5W pm
COB 10W pm

COLOURS



Dark Grey



DIFFUSER
Prismatic

MAX IP RATING

IP40

LUCERNE

PROLUCERNE



WATTS



5W pm

COLOURS



Dark Grey




DIFFUSER
Louvred

MAX IP RATING

IP40

CORREA

PROCORREA



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP40




PRODUCT DETAILS

RE

RECESSED

WASHER

PROMWASH



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER




PMMA opal

MAX IP RATING

IP40

ALTO

PROALTO



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

MINICOVER

PROMINICOVER



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

LEN14 WINGED

PROLEN14W



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

STRATO

PROSTRATO



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER

PMMA opal

MAX IP RATING


IP40

PRODUCT DETAILS

SU SURFACE MOUNTED

ASYMMETRICAL STANDARD

PROASYML



WATTS

19.2W pm
22W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER




Asymmetrical acrylic

MAX IP RATING

IP40

ASYMMETRICAL VERSATILE

PROVASYML



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



Asymmetrical acrylic, Opal, Wallgrazer

MAX IP RATING

IP40

BENDI

PROBENDI



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER




PMMA opal

MAX IP RATING

IP40

STELLAR

PROSTELLAR



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER




PMMA opal or lens

MAX IP RATING

IP40

LASER

PROLASER



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

Asymmetric acrylic, Opal, Wallgrazer

MAX IP RATING



IP40

PRODUCT DETAILS

SU SURFACE MOUNTED

IN WARDROBE

PROWARD



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other anodised options available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

MIRROR LIGHT

PROMIRROR



WATTS

2 x 14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

SIENNA

PROSIENNA



WATTS

5W pm
10W pm

COLOURS

Dark Grey

DIFFUSER



Prismatic

MAX IP RATING

IP40

LISBOA

PROLISBOA



WATTS

5W pm
10W pm

COLOURS

Dark Grey

DIFFUSER



Opal acrylic

MAX IP RATING

IP40

FIRENZE

PROFIRENZE



WATTS

9.6W pm
14.4W pm

COLOURS

Dark grey

DIFFUSER

Prismatic

MAX IP RATING

IP40



PRODUCT DETAILS

SU

SURFACE MOUNTED

ASYMBIG

PROASYMBIG



WATTS



19.2W pm
22W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



Acrylic lens
30° and 60°

MAX IP RATING

IP40

ARC1 ROUND

PROARC1



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PC Opal

MAX IP RATING

IP65

ARC2 SQUARE

PROARC2



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PC Opal

MAX IP RATING

IP65

COFFA

PROCOFFA



WATTS



14.4Wpm
19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER




PMMA opal

MAX IP RATING

IP40

ANGHEL COVER

PROANGHEL



WATTS



9.6Wpm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP40



PRODUCT DETAILS

SU

SURFACE MOUNTED

SCT001 SQUARE

PROSTC001



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PC opal

MAX IP RATING

IP65

SCT002 ROUND

PROSTC002



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PC opal

MAX IP RATING

IP65

STC3030 ROUND

PROSTC30X30RO



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PC opal

MAX IP RATING

IP65

STC3030 SQUARE

PROSTC30X30SQ



WATTS

19.2W pm

COLOURS


Satin anodised
*Other colours available

DIFFUSER

PC opal

MAX IP RATING

IP65





PRODUCT DETAILS

SU SURFACE MOUNTED

OUTWASH

PROOUTWASH



WATTS

2 x 9.6W pm
2 x 14.4W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING

IP65

OUTWASHEX

PROOUTWASHEX



WATTS

2 x 14.4W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING

IP40

LEL16

PROLEL16



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING

IP65

LEN14

PROLEN14



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING

IP40

LEN22

PROLEN22



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING



IP40

PRODUCT DETAILS



PLASTERBOARD

APOLLO PROAPOLLO



WATTS



19.2W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

Low glare,
Prismatic,
PMMA opal

MAX IP RATING

IP65

ARES PROARES



WATTS



19.2W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

Low glare,
Prismatic,
PMMA opal

MAX IP RATING

IP65

EXOCET PROEXOCET



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP40

HERCULES PROHERCULES



WATTS



19.2W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

PC opal

MAX IP RATING

IP65

INTER PROINTER



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING



IP40

PRODUCT DETAILS



PLASTERBOARD

MINISKOOP PROMINISKOOP



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available


DIFFUSER

PMMA opal

MAX IP RATING

IP40

SKOOP PROSKOOP



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available




DIFFUSER

PMMA opal

MAX IP RATING

IP65

NIMITZ PRONIMITZ



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP65

OFFSET PROOFFSET



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available




DIFFUSER

PMMA opal

MAX IP RATING

IP40

PLASTERCOVE PROPLASTERCOVE



WATTS



19.2W pm
22W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING


IP65

PRODUCT DETAILS




PLASTERBOARD

SPITFIRE PROSPITFIRE



— = set plaster



WATTS

14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal


MAX IP RATING

IP65

MUSTANG PROMUSTANG



— = set plaster



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available


DIFFUSER
PMMA opal

MAX IP RATING


IP40

*3 metre lengths available

ATHENA PROATHENA



— = set plaster



WATTS

19.2W pm

COLOURS


Satin anodised
*Other colours available

DIFFUSER
Low Glare,
Prismatic,
PMMA opal


MAX IP RATING

IP65

LINEOUT PROLINEOUT



— = set plaster



WATTS

9.6W pm
14.4W pm

COLOURS


Satin anodised
*Other colours available

DIFFUSER
PMMA opal


MAX IP RATING

IP40

MERCURY PROMERCURY



— = set plaster



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING



IP65

PRODUCT DETAILS

PB

PLASTERBOARD

LINEUP PROLINEUP



WATTS

14.4W pm
19.2Wpm
22W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP65

MICROCOVE-P PROMICROCOVE-P



WATTS

19.2Wpm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING

IP65




PRODUCT DETAILS



CV COVE

COVE1

PROCOVE1



*3 metre lengths available



WATTS

19.2Wpm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

HALOCOVE

PROHALOCOVE



WATTS

2 x 19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

LOWCOVE

PROLOWCOVE



WATTS

2 x 19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

MARINER

PROMARINER



WATTS

19.2Wpm

COLOURS

Satin anodised
*Other colours available

DIFFUSER


PMMA opal

MAX IP RATING

IP65

PILMET

PROPILMET



WATTS

19.2Wpm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PMMA opal




MAX IP RATING

IP65

PRODUCT DETAILS

CV COVE

ANGLECOVE1 PROANGLECOVE1





WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

VESTA PROVESTA






WATTS
19.2W pm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

MICROCOVE PROMICROCOVE



WATTS
19.2Wpm



COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

*3 metre lengths available

SIRRIUS PROSIRRIUS






WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

HERMES PROHERMES



WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65


PRODUCT DETAILS

SK

SKIRTING

RECESSED SKIRT

PRORECSKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

ROUND SKIRT

PROROUND SKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

FLATSKIRT

PROFLATSKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

SKETSKIRT

PROSKETSKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

CORVSKIRT

PROOUTWASH



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP40

= set plaster


PRODUCT DETAILS



WALL

ASYMWASH

PROASYMWASH



WATTS



19.2Wpm
22Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



Asymmetrical acrylic

MAX IP RATING

IP40

UPWASH

PROUPWASH



WATTS



21W Evolvo

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

CANVAS

PROLCANVAS



WATTS



9.6W pm
14.4Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



Asymmetrical acrylic

MAX IP RATING

IP40

BERLINA

PROBERLINA



*3 metre lengths available

WATTS



21W Evolvo

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

COFFEX

PROCOFFEX



WATTS



14.4W pm
19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP65




PRODUCT DETAILS



WALL

HADRIAN

PROHADRIAN



WATTS



Up: 21W Evolve
Down: 14.4W

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

MINIUPDOWN

PROMINIUPDOWN



WATTS



2 x 19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

RAIL

PRORAIL



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

RALEWASH

PRORALEWASH



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

RPLD

PRORPLDWN



WATTS



2 x 14.4Wpm
2 x 19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING



IP65

PRODUCT DETAILS



ILLUMINATED HANDRAIL

ALLYRAIL PROALLYRAIL



WATTS



2 x 9.6Wpm
2 x 14.4W pm

COLOURS



Black
*Other colours available

DIFFUSER


PMMA opal

MAX IP RATING

IP40







TEC=LED

TecLED Pty Ltd - Sydney Head Office

Unit 4, 61 - 71 Beauchamp Road, Matraville NSW 2036

Telephone: (02) 9317 4177

Email: sales@teccled.com.au

TecLED Pty Ltd - Melbourne

Telephone: 0478 036 481

Email: vicsales@teccled.com.au

TecLED Pty Ltd - Gold Coast

Showroom by appointment only

Telephone: 0425 298 712