

TEC=LED









ALUMINIUM PROFILE RANGE


























TEC=LED

TecLED'S range of aluminium LED housing extrusion profiles cater for all conceivable lighting installations and effects. Our technical staff can advise and assist in selecting the appropriate fitting to suit your particular specifications and thus give effect to your creative vision. If required, we provide site installation and supervision for all our solutions.

























Our profiles are categorised according to their method of installation.

	CATEGORY	ICON	PAGE
	Linear Pendant (Suspended)		9
	Recessed		15
	Surface Mounted		20
	Plasterboard		25
	Cove		29
	Skirting		31
	Wall		32
	Illuminated Handrails		34

25.4  25.4 2525 P. 9	30  22.4 3035 P. 9	35  35 3535 P. 9	85  85 AURORA P. 9	75  95 BEEM P. 9
75  50 CORONA P. 10	19.7  19.7 KESTREL K P. 10	36  19 KESTREL P P. 10	90  24 LIFT UP/DOWN P. 10	35  25.4 MINI UP/DOWN PENDANT P. 10
35  50 OSPREY P. 11	 Ø76 SABRE P. 11	12  10 SHEER P. 11	27 27 27  150 PLANQ P. 11	 Ø40 TOOB40 P. 11
 Ø60 TOOB60 P. 12	 Ø100 TOOB100 P. 12	26.2  23 BUNGEE (MINI TUNNEL) P. 12	37  20 TUNNEL P. 12	115  38 UP/DOWN115 P. 12
50  60 EAGLE P. 13	74.5  49 FALCON P. 13	89.5  82 PHOENIX P. 13	28  16 HOBBY P. 13	80  53.8 PEREGRINE P. 13




















RE

RECESSED

 CATALAN P. 15	 ALGARVE P. 15	 ARCHLINE P. 15	 ASHIELD P. 15	 BUNGEE RECESSED P. 15
 POWERLINE20 P. 16	 POWERLINE30 P. 16	 POWERLINE35 P. 16	 POWERLINE50 P. 16	 POWERLINE75 P. 16
 LUX XO P. 17	 LUX XOWINGS P. 17	 MACRO P. 17	 MICRO 8x9 P. 17	 MICRO WINGED P. 17
 CORREA P. 18	 CORDOBA P. 18	 DEEP MICRO P. 178	 ELYSEE P. 18	 LUCERNE P. 18
 WASHER P. 19	 STRATO P. 19	 MINICOVER P. 189	 ALTO P. 19	 LEN14 WINGED P. 19






SU




SURFACE MOUNTED






8.9  16 ASYMMETRICAL STANDARD P. 20	21.2  24 ASYMMETRICAL VERSATILE P. 20	5.7  18 BENDI P. 20	 Ø28 STELLAR P. 20	15  13 LASER P. 20
28  14.5 IN WARDROBE P. 21	45  42 MIRROR LIGHT P. 21	16  15 SIENNA P. 21	18.2 36.7  13.5 LISBOA P. 21	12 7.06  4.68 FIRENZE P. 21
60  46.3 ASYMBIG P. 22	20.2  19.7 ARC1 ROUND P. 22	20  19.7 ARC2 SQUARE P. 22	10  21 ANGHEL COVER P. 22	36.1 18.5  COFFA P. 22
16  16 SCT001 SQUARE P. 23	30  30 STC3030 SQUARE P. 23	30  30 STC3030 ROUND P. 23	16  16 SCT002 ROUND P. 23	
76.2  76.2 OUTWASH P. 24	38.7  39 OUTWASHEX P. 24	15.3  17.2 LEL16 P. 24	8  17.2 LEN14 P. 24	12  23.5 LEN22 P. 24


PB

PLASTERBOARD

 52.1 48.9 30	 48.9 45.8 33.5	 50.6 22.8 10.5	 65.4 7 18 25.4	 26 13 46
APOLLO P. 25	ARES P. 25	EXOCET P. 25	HERCULES P. 25	INTER P. 25











 14.8 90	 18.5 96	 48 15.5 88 3	 14.5 12 75 40	 66 104.9
MINISKOOP P. 26	SKOOP P. 26	NIMITZ P. 26	OFFSET P. 26	PLASTERCOVE P. 26

 13 10 4 53	 28.5 10 61.5	 30 25.6 70	 15.9 14 35.9	 23 23 63
MUSTANG P. 27	SPITFIRE P. 27	ATHENA P. 27	LINEOUT P. 27	MERCURY P.27

 88	 38 58.9 38.6 19.7 72.3
LINEUP P. 28	MICROCOVE-P P. 28






CV

COVE

 MARINER P. 29	 PILMET P. 29	 COVE1 P. 29	 HALOCOVE P. 29	 LOWCOVE P. 29
 VESTA P. 30	 MICROCOVE P. 30	 SIRRIUS P. 30	 ANGELCOVE1 P. 30	 HERMES P. 30

SK

SKIRTING

 ROUND SKIRT P. 31	 FLATSKIRT P. 31	 RECESSED SKIRT P. 31	 SKETSKIRT P. 31	 CORVSKIRT P. 31
---	--	---	---	--



WALL

18.5 40 28.3 ASYMWASH P. 32	37 60 UPWASH P. 32	25 40 120° 30 COFFEX P. 32	Ø19.5 10 CANVAS P. 32
67.7 30 BERLINA P. 32	33.4 81 30° HADRIAN P. 33	23.5 22.6 MINIUPDOWN P. 33	17.7 43.5 RAIL P. 33
23.5 57.8 RALEWASH P. 33		42 35 RPLD P. 33	



ILLUMINATED HANDRAIL



78.8 95 35.3 ALLYRAIL P. 34

PRODUCT DETAILS



LINEAR (SUSPENDED)

2525
PRO2525



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available




DIFFUSER

PMMA opal

MAX IP
RATING

IP65

3035
PRO3035



WATTS



2 x 14.4W
2 x 19.2W
pm

COLOURS



Satin anodised
*Other powder coated
colours available



DIFFUSER

Prismatic,
Low glare

MAX IP
RATING

IP65

3535
PRO3535



WATTS



2 x 14.4W
2 x 19.2W
pm

COLOURS



Satin anodised
*Other powder coated
colours available



DIFFUSER

PMMA opal

MAX IP
RATING

IP65

AURORA
PROAUR



WATTS



2 x 14.4W
2 x 19.2W
pm

COLOURS



Satin anodised
*Other powder coated
colours available




DIFFUSER

PMMA opal

MAX IP
RATING

IP40

BEEK
PROBEEK



WATTS



Down:
2x19.2W pm
Up: 9.6W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER

PMMA opal

MAX IP
RATING




IP65

PRODUCT DETAILS



LINEAR (SUSPENDED)

CORONA
PROCOR



WATTS



2 x 19.2W pm

COLOURS





Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP65

KESTREL K
PROKESTRELK



WATTS



14.4W pm
19.2W pm

COLOURS





Satin anodised
*Other powder coated colours available

DIFFUSER
PC opal

MAX IP
RATING

IP40

KESTREL P
PROKESTRELP



WATTS



14.4W pm
19.2W pm

COLOURS






Satin anodised
*Other powder coated colours available

DIFFUSER
PC opal

MAX IP
RATING

IP40

LIFTUP/DOWN
PROLIFTUPDOWN



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS






White, Black

DIFFUSER
PC opal

MAX IP
RATING

IP65

MINI UP/DOWN PENDANT
PROMINIUPDOWN



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40



*3 metre lengths available

PRODUCT DETAILS



LINEAR (SUSPENDED)

OSPREY
PROOSPREY



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available



DIFFUSER

PMMA opal

MAX IP
RATING

IP65

SABRE
PROSABRE



WATTS



5 x 5W pm

COLOURS



Satin anodised
*Other powder coated
colours available




DIFFUSER

PMMA opal

MAX IP
RATING

IP65

SHEER
PROSHEER



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other powder coated
colours available



DIFFUSER

PMMA opal

MAX IP
RATING

IP40

PLANQ
PROPLANQ



WATTS



19.2W Down
2 x 9.6W Up

COLOURS



Satin anodised
*Other powder coated
colours available



DIFFUSER

PMMA opal

MAX IP
RATING

IP65

TOOB40
PROTOOB40



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER

PMMA opal

MAX IP
RATING



IP65

PRODUCT DETAILS



LINEAR (SUSPENDED)

TOOB60
PROTOOB60



Ø60

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER



PMMA opal

MAX IP

RATING

IP65

TOOB100
PROTOOB100



Ø100

WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP65

BUNGEE (MINI TUNNEL)
PROBUNGEE



26.2

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER


PMMA opal

MAX IP



RATING

IP40

TUNNEL
PROTUNNEL



*3 metre lengths available



37

20

WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP40

UPDOWN115
PROUPDO115



115

38

WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER

PMMA opal

MAX IP

RATING



IP40

PRODUCT DETAILS



LINEAR (SUSPENDED)

EAGLE
PROEAGLES



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER



Frosted ice

MAX IP

RATING

IP65

FALCON
PROFALCONS



WATTS



2 x 14.4W pm
2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP65

PHOENIX
PROPHOENIXS



WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER




PMMA opal

MAX IP

RATING

IP65

HOBBY
PROHOBBY



WATTS



14.4W pm

COLOURS



Black

DIFFUSER



Prismatic,
Low Glare

MAX IP

RATING

IP40

PEREGRINE
PROPEREGRINE



WATTS



21.6W Evolve

COLOURS



Satin anodised
*Other powder coated
colours available

DIFFUSER

Prismatic,
High Reflective
louvre

MAX IP

RATING

IP40





PRODUCT DETAILS

RE

RECESSED

CATALAN
PROCATALAN



WATTS



5W pm
10W pm

COLOURS



Dark Grey

DIFFUSER



Prismatic

MAX IP

RATING

IP40

ALGARVE
PROALGARVE



WATTS



2 x 5W pm
2 x 10W pm

COLOURS



Dark Grey

DIFFUSER




Prismatic

MAX IP

RATING

IP40

ARCHLINE
PROARCHI



WATTS



14.4W pm
19.2W pm

COLOURS



Mill Silver
*Other colours available

DIFFUSER



PMMA opal

MAX IP

RATING

IP40

ASHIELD
PROTOASHIELD



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP

RATING

IP40

BUNGEE RECESSED
PROBUNGEE RECESSED



WATTS



14.4W pm
19.2W pm

COLOURS



Black

DIFFUSER

PMMA opal

MAX IP

RATING

IP40




PRODUCT DETAILS

RE

RECESSED

POWERLINE20




PROPOW20



WATTS 14.4W pm 19.2W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

POWERLINE30




PROPOW30



WATTS 21.6W Evolve	COLOURS Satin anodised *Other colours available
DIFFUSER Prismatic, Low glare	MAX IP RATING

POWERLINE35



PROPOW35



WATTS 2 x 14.4W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

POWERLINE50



PROPOW50



WATTS 2 x 14.4W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

POWERLINE75

PROPOW75





WATTS 2 x 14.4W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

PRODUCT DETAILS

RE

RECESSED

LUX XO
PROLUX XO



WATTS



14.4W pm
19.2W pm

COLOURS






Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

LUX XOWINGS
PROLUX XOWINGS



WATTS



14.4W pm
19.2W pm

COLOURS





Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

MACRO
PROMACRO



WATTS



9.6W pm
14.4W pm

COLOURS





Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

MICROWINGED
PROWINGEDMICRO



WATTS



9.6W pm
14.4W pm

COLOURS





Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP
RATING

IP40

MICRO8X9
PROMICRO8X9



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP
RATING




IP40

PRODUCT DETAILS

RE



RECESSED

DEEP MICRO
PRODEEPM





WATTS 9.6W pm 14.4W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING IP40

CORDOBA
PROCORDOBA





WATTS COB 5W pm COB 10W pm	COLOURS Dark Grey
DIFFUSER Prismatic	MAX IP RATING IP40

ELYSEE
PROELYSEE






WATTS COB 5W pm COB 10W pm	COLOURS Dark Grey
DIFFUSER Prismatic	MAX IP RATING IP40

LUCERNE
PROLUCERNE



WATTS 5W pm	COLOURS Dark Grey
DIFFUSER Louvred	MAX IP RATING IP40

CORREA
PROCORREA



WATTS 14.4W pm 19.2W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING IP40



PRODUCT DETAILS

RE

RECESSED

WASHER

PROWASHER



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER




PMMA opal

MAX IP RATING

IP40

ALTO

PROALTO



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

MINICOVER

PROMINICOVER



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

LEN14 WINGED

PROLEN14W



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

STRATO

PROSTRATO



WATTS



9.6W pm
14.4W pm

COLOURS



Satin anodised
*Other powder coated colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP40


PRODUCT DETAILS

SU

SURFACE MOUNTED

ASYMMETRICAL STANDARD

PROASYML



WATTS

19.2W pm
22W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



Asymmetrical acrylic

MAX IP RATING

IP40

ASYMMETRICAL VERSATILE

PROVASYML



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



Asymmetrical acrylic, Opal, Wallgrazer

MAX IP RATING

IP40

BENDI

PROBENDI



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

STELLAR

PROSTELLAR



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER



PMMA opal or lens

MAX IP RATING

IP40

LASER

PROLASER



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

Asymmetric acrylic, Opal, Wallgrazer



MAX IP RATING

IP40

PRODUCT DETAILS

SU SURFACE MOUNTED

IN WARDROBE





WATTS
 9.6W pm
 14.4W pm

COLOURS
 Satin anodised
 *Other anodised options available

DIFFUSER
 PMMA opal

MAX IP RATING
 IP40

MIRROR LIGHT





WATTS
 2 x 14.4W pm

COLOURS
 Satin anodised
 *Other colours available

DIFFUSER
 PMMA opal

MAX IP RATING
 IP65

SIENNA





WATTS
 5W pm
 10W pm

COLOURS
 Dark Grey

DIFFUSER
 Prismatic

MAX IP RATING
 IP40

LISBOA





WATTS
 5W pm
 10W pm

COLOURS
 Dark Grey

DIFFUSER
 Opal acrylic

MAX IP RATING
 IP40

FIRENZE



WATTS
 9.6W pm
 14.4W pm

COLOURS
 Dark grey

DIFFUSER
 Prismatic



MAX IP RATING
 IP40

PRODUCT DETAILS

SU

SURFACE MOUNTED

ASYMBIG
PROASYMBIG





WATTS
19.2W pm
22W pm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
Acrylic lens
30° and 60°

MAX IP RATING
IP40

ARC1 ROUND
PROARC1





WATTS
14.4W pm
19.2W pm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PC Opal

MAX IP RATING
IP65

ARC2 SQUARE
PROARC2





WATTS
14.4W pm
19.2W pm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PC Opal

MAX IP RATING
IP65

COFFA
PROCOFFA






WATTS
14.4Wpm
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

ANGHEL COVER
PROANGHEL



WATTS
9.6Wpm
14.4W pm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40



PRODUCT DETAILS

SU

SURFACE MOUNTED

SCT001 SQUARE

PROSTC001



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal



MAX IP

RATING

IP65

SCT002 ROUND

PROSTC002



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal



MAX IP

RATING

IP65

STC3030 ROUND

PROSTC30X30RO



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal



MAX IP

RATING

IP65

STC3030 SQUARE

PROSTC30X30SQ



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER

PC opal

MAX IP

RATING

IP65





PRODUCT DETAILS

SU SURFACE MOUNTED

OUTWASH

PROOUTWASH



WATTS



2 x 9.6W pm
2 x 14.4W pm

COLOURS



Satin anodised
*Other colours
available



DIFFUSER
PMMA opal

MAX IP
RATING

IP65

OUTWASHEX

PROOUTWASHEX



WATTS



2 x 14.4W pm

COLOURS



Satin anodised
*Other colours
available



DIFFUSER
PMMA opal

MAX IP
RATING

IP40

LEL16

PROLEL16



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours
available



DIFFUSER
PMMA opal

MAX IP
RATING

IP65

LEN14

PROLEN14



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours
available



DIFFUSER
PMMA opal

MAX IP
RATING

IP40

LEN22

PROLEN22



WATTS



14.4W pm
19.2W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER
PMMA opal

MAX IP
RATING



IP40

PRODUCT DETAILS

PB

PLASTERBOARD

APOLLO
PROAPOLLO





WATTS
 19.2W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
Low glare,
Prismatic,
PMMA opal

MAX IP
RATING
 IP65

ARES
PROARES





WATTS
 19.2W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
Low glare,
Prismatic,
PMMA opal

MAX IP
RATING
 IP65

EXOCET
PROEXOCET





WATTS
 9.6W pm
14.4W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP
RATING
 IP40

HERCULES
PROHERCULES





WATTS
 19.2W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PC opal

MAX IP
RATING
 IP65

INTER
PROINTER



WATTS
 9.6W pm
14.4W pm

COLOURS
 Satin anodised
*Other colours available

DIFFUSER
PMMA opal



MAX IP
RATING
 IP40

PRODUCT DETAILS

PB



PLASTERBOARD

MINISKOOP
PROMINISKOOP





WATTS 9.6W pm 14.4W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

SKOOP
PROSKOOP




WATTS 14.4W pm 19.2W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

NIMITZ
PRONIMITZ






WATTS 2 x 14.4W pm 2 x 19.2W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

OFFSET
PROOFFSET



WATTS 14.4W pm 19.2W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING

PLASTERCOVE
PROPLASTERCOVE



WATTS 19.2W pm 22W pm	COLOURS Satin anodised *Other colours available
DIFFUSER PMMA opal	MAX IP RATING


PRODUCT DETAILS




PLASTERBOARD

SPITFIRE

PROSPITFIRE



— = set plaster



WATTS

14.4W pm
19.2W pm

COLOURS

Satin anodised
*Other colours available



DIFFUSER
PMMA opal

MAX IP RATING


IP65

MUSTANG

PROMUSTANG



— = set plaster



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal


MAX IP RATING

IP40


*3 metre lengths available

ATHENA

PROATHENA



— = set plaster



WATTS

19.2W pm

COLOURS

Satin anodised
*Other colours available


DIFFUSER
Low Glare,
Prismatic,
PMMA opal

MAX IP RATING


IP65

LINEOUT

PROLINEOUT



— = set plaster



WATTS

9.6W pm
14.4W pm

COLOURS

Satin anodised
*Other colours available


DIFFUSER
PMMA opal

MAX IP RATING


IP40

MERCURY

PROMERCURY



— = set plaster



WATTS

14.4W pm

COLOURS

Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING



IP65

PRODUCT DETAILS

PB

PLASTERBOARD

LINEUP
PROLINEUP



— = set plaster

WATTS



14.4W pm
19.2Wpm
22W pm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP

RATING

IP65

MICROCOVE-P
PROMICROCOVE-P



— = set plaster

WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal

MAX IP

RATING

IP65



PRODUCT DETAILS





COVE

COVE1

PROCOVE1



*3 metre lengths available



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

HALOCOVE

PROHALOCOVE



WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

LOWCOVE

PROLOWCOVE



WATTS



2 x 19.2W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

MARINER

PROMARINER



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER


PMMA opal

MAX IP RATING

IP65

PILMET

PROPILMET



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING




IP65

PRODUCT DETAILS

CV

COVE

ANGLECOVE1
PROANGLECOVE1





WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

VESTA
PROVESTA





WATTS
19.2W pm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

MICROCOVE
PROMICROCOVE



WATTS
19.2Wpm



COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP65

*3 metre lengths available

SIRRIUS
PROSIRRIUS






WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal

MAX IP RATING
IP40

HERMES
PROHERMES



WATTS
19.2Wpm

COLOURS
Satin anodised
*Other colours available

DIFFUSER
PMMA opal



MAX IP RATING
IP65

PRODUCT DETAILS

SK

SKIRTING

RECESSED SKIRT
PRORECSKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP40

ROUND SKIRT
PROROUND SKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP40

FLATSKIRT
PROFLATSKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available



DIFFUSER

PMMA opal

MAX IP RATING

IP40

SKETSKIRT
PROSKETSKIRT



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available


DIFFUSER

PMMA opal


MAX IP RATING

IP40

CORVSKIRT
PROCORVSKIRT



= set plaster



WATTS



14.4W pm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP40


PRODUCT DETAILS



WALL

ASYMWASH

PROASYMWASH



WATTS



19.2Wpm
22Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER



Asymmetrical acrylic

MAX IP RATING

IP40

UPWASH

PROUPWASH



WATTS



21W Evolve

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP65

CANVAS

PROCANVAS



WATTS



9.6W pm
14.4Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER


Asymmetrical acrylic

MAX IP RATING



IP40

BERLINA

PROBERLINA



*3 metre lengths available



WATTS



21W Evolve

COLOURS



Satin anodised
*Other colours available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

COFFEX

PROCOFFEX



WATTS



14.4W pm
19.2Wpm

COLOURS



Satin anodised
*Other colours available

DIFFUSER

PMMA opal

MAX IP RATING

IP65



PRODUCT DETAILS



WALL

HADRIAN

PROHADRIAN



WATTS



Up: 21W Evolve
Down: 14.4W

COLOURS



Satin anodised
*Other colours
available

DIFFUSER


PMMA opal

MAX IP RATING

IP40

MINIUPDOWN

PROMINIUPDOWN



WATTS



2 x 19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal

MAX IP RATING

IP40

RAIL

PRORAIL



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER


PMMA opal

MAX IP RATING

IP40

RALEWASH

PRORALEWASH



WATTS



19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER



PMMA opal

MAX IP RATING

IP40

RPLD

PRORPLDWN



WATTS



2 x 14.4Wpm
2 x 19.2Wpm

COLOURS



Satin anodised
*Other colours
available

DIFFUSER

PMMA opal

MAX IP RATING

IP65



PRODUCT DETAILS



ILLUMINATED HANDRAIL

ALLYRAIL

PROALLYRAIL



WATTS



2 x 9.6Wpm
2 x 14.4W pm

COLOURS



Black
*Other colours
available

DIFFUSER


PMMA opal

MAX IP
RATING

IP40







TEC=LED

TecLED Pty Ltd - Sydney Head Office

Unit 4, 61 - 71 Beauchamp Road, Matraville NSW 2036

Telephone: (02) 9317 4177

Email: sales@tecled.com.au

TecLED Pty Ltd - Melbourne

Telephone: 0478 036 481

Email: vicsales@tecled.com.au

TecLED Pty Ltd - Gold Coast

Showroom by appointment only

Telephone: 0425 298 712