

TEC=LED

TIMBER PENDANTS CATALOGUE






Contents Page



4	Derwent	
----------	----------------	---

4	Hobart	
----------	---------------	---

4	Tamar	
----------	--------------	---

4	Tassie Round	
----------	---------------------	---

5	Tassie Flat	
----------	--------------------	---

5	Mini Tassie Flat	
----------	-------------------------	---


5	Ocean Drift	
----------	--------------------	---


5	Franklin	
----------	-----------------	---


6	Jumbo Franklin	
----------	-----------------------	---

6	Mini Franklin	
----------	----------------------	---

6	Gordon	
----------	---------------	---

6	Plydoppio	
----------	------------------	---

7	Plydotti	
----------	-----------------	---

7	Cascade	
----------	----------------	---

8	Colour/Stain	
----------	---------------------	---

9	Top Fixing	
----------	-------------------	---

9	Suspension Cable	
----------	-------------------------	---

10	Timber Pendants Specifications	
-----------	---------------------------------------	---



DERWENT

 WATTS 9.6W / 14.4W	 MAX LENGTH 2100mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS	 30mm 30mm	

HOBART

 WATTS 2x14.4W	 MAX LENGTH 2400mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS	 60mm 45mm	

TAMAR

 WATTS 9.6W / 14.4W	 MAX LENGTH 2400mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS	 Ø43	


TASSIE ROUND

 WATTS 9.6W / 14.4W	 MAX LENGTH 2400mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS	 Ø43	

TASSIE FLAT (SQUARED EDGE)

 WATTS 9.6W / 14.4W	 MAX LENGTH 2100mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS		

MINI TASSIE FLAT (SQUARED EDGE)

 WATTS 9.6W / 14.4W	 MAX LENGTH 2100mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS		

OCEAN DRIFT

 WATTS 10W	 MAX LENGTH 2100mm	 
 TIMBER TYPE CHARRED AMERICAN OAK		
 SIDE DIMENSIONS		

FRANKLIN


 WATTS 9.6W / 14.4W	 MAX LENGTH 2100mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS		



JUMBO FRANKLIN (ROUNDED EDGES)

 WATTS 19.2W	 MAX LENGTH 2100mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS		


MINI FRANKLIN (ROUNDED EDGES)

 WATTS 9.6W / 14.4W	 MAX LENGTH 2100mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS		

GORDON (ROUNDED EDGES)

 WATTS 19.2W	 MAX LENGTH 2100mm	 
 TIMBER TYPE TASMANIAN OAK		
 SIDE DIMENSIONS		

PLYDOPIO

 WATTS 19.2W	 MAX LENGTH 1800mm	 
 TIMBER TYPE GRADE PLYWOOD		
 SIDE DIMENSIONS		

PLYDOTTI



CASCADE





COLOUR OPTIONS

CLEAR



WALNUT



BLACK JAPAN



WHITE



TOP FIXING

CEILING BOSS

Ø15 x 33mm



SILVER



BLACK

COAXIAL CEILING BOSS

Ø21 x 40mm



WHITE



SILVER



BLACK

CEILING ROSE

Ø50 x 24mm



WHITE



SILVER



BLACK

RECESSED CEILING ROSE

Ø100 x 5mm



WHITE



SILVER



BLACK

SUSPENSION CABLE

SILVER

BLACK






TIMBER PENDANTS SPECIFICATIONS

Code/Name	Colour	Side dimensions	Lengths available	Watts	Lumens p/m	CCT	Voltage	Dimmable	Timber Type	CRI	Cable Length	Cable Colour
PLDERWENT DERWENT	Natural, Walnut, Black Japan, White	30(H) x 30(W) mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm	9.6W / 14.4W	720 / 960	2700K, 3000K, 4000K, 6000K	12vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLHOBART HOBART	Natural, Walnut, Black Japan, White	60(H) x 45(W) mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm / 2400(L)mm	2x14.4W	1920	2700K, 3000K, 4000K, 6000K	24vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLTAMAR TAMAR	Natural, Walnut, Black Japan, White	Ø43mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm / 2400(L)mm	9.6W / 14.4W	720 / 960	2700K, 3000K, 4000K, 6000K	12vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLFRANKLIN FRANKLIN	Natural, Walnut, Black Japan, White	110(H) x 16(W) mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm	9.6W / 14.4W	720 / 960	2700K, 3000K, 4000K, 6000K	12vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLFRANKJUMB JUMBO FRANKLIN	Natural, Walnut, Black Japan, White	110(H) x 32(W) mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm	19.2W	1800	2700K, 3000K, 4000K, 6000K	24vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLFRANKMIN MINI FRANKLIN	Natural, Walnut, Black Japan, White	40(H) x 19(W) mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm	9.6W / 14.4W	720 / 960	2700K, 3000K, 4000K, 6000K	12vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLGORDON GORDON	Natural, Walnut, Black Japan, White	50(H) x 43(W) mm	900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm	19.2W	1800	2700K, 3000K, 4000K, 6000K	24vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLTASSIEF TASSIE FLAT	Natural, Walnut, Black Japan, White	110(H) x 16(W) mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm	9.6W / 14.4W	720 / 960	2700K, 3000K, 4000K, 6000K	12vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLTASSIER TASSIE ROUND	Natural, Walnut, Black Japan, White	Ø43mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm / 2400(L)mm	9.6W / 14.4W	720 / 960	2700K, 3000K, 4000K, 6000K	12vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLTASSMINI MINI TASSIE FLAT	Natural, Walnut, Black Japan, White	40(H) x 19(W) mm	600(L)mm / 900(L)mm / 1200(L)mm / 1800(L)mm / 2100(L)mm	9.6W / 14.4W	720 / 960	2700K, 3000K, 4000K, 6000K	12vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black
PLOCEAND OCEAN DRIFT	Natural, Walnut, Black Japan, White	100(H) x 25(W)mm	1200(L)mm / 1800(L)mm / 2100(L)mm	10W	450	2700K, 3000K, 4000K	24vDC	Non-Dimmable, Triac, Dali	Charred American Oak	>90	1m - 4m	Silver, Black
PLYDOPIO PLYDOPIO	Natural	50(H) x 110(W)mm	900(L)mm / 1200(L)mm / 1800(L)mm	19.2W	1800	2700K, 3000K, 4000K, 6000K	24vDC	Non-Dimmable, Triac, Dali	Grade Plywood	>90	1m - 4m	Silver, Black
PLYDOTTI PLYDOTTI	Natural	50(H) x 110(W)mm	900(L)mm / 1200(L)mm / 1800(L)mm	7W / 12W / 14W	540	2700K, 3000K, 4000K	350mA	Non-Dimmable, Triac, Dali	Grade Plywood	>90	1m - 4m	Silver, Black
PLCASCADE CASCADE	Natural, Walnut, Black Japan, White	40(H) x 75(W) mm	1800(L)mm / 2100(L)mm / 2400(L)mm	14.4W / 19.2W	960 / 1800	2700K, 3000K, 4000K, 6000K	24vDC	Non-Dimmable, Triac, Dali	Tasmanian Oak	>90	1m - 4m	Silver, Black





TEC=LED

TecLED Pty Ltd - Sydney Head Office

Unit 4, 61 - 71 Beauchamp Road,
Matraville NSW 2036

Telephone: (02) 9317 4177

Email: sales@tecled.com.au

TecLED Pty Ltd – Melbourne

Telephone: 0478 036 481

Email: vic-sales@tecled.com.au

TecLED Pty Ltd – Gold Coast

Showroom by appointment only.

Telephone: 0425 298 712